



OVER 800 PRODUCTS READY FOR YOUR BUSINESS

For over 30 years, Stinger® Chemical has been a leader in manufacturing and supplying a complete line of automotive and aftermarket chemicals, including reconditioning products, car wash chemistry, automotive chemicals, and equipment.

Based in Houston, Texas—known as the Chemical Capital of the World—our 11-acre campus and state-of-the-art production facility provide direct access to top raw material suppliers and one of the nation's largest ports. This ensures the highest quality products and a reliable supply chain for our customers.

Stinger Chemical's Car Wash Division offers everything you need to keep your business running smoothly, from car wash planning and design to equipment, chemistry, marketing, and service. Our team of experts is here to help you reduce costs, increase revenue, and enhance customer satisfaction. Expect clean, glossy, and dry perfection-every car, every time.

Explore our latest product catalog to discover the full range of solutions we provide for the car wash industry.



Warren Davis
President Co-Founder & CFO



Fritz Seewald III
Co-Founder & Executive Vice President



Stuart Durham









L	55 30 15 5 2.5	
\ -		
	TO A SEALOST	
	DILUTION CHARTS	51 55
	SUGGESTED USAGE CHARTS	49
	TRAINING AID , DRY ERASE BOARDS & DECALS	47
	CARWASH MKT STINGER GEAR	45 46
1	CONES & DRUM COVERS CERAMIC & GRAPHENE	43 44
	GATE SIGNS	42
	INSERTS & POSTERS. BANNERS	40 41
	MARKETING FLAGS & WIND SIGNS	39
	MADIZETING	
	FOAMERS LIGHTS	35 38
	TUBING FITTINGS	34
	VACUUM. STAINLESS TUBING & FITTINGS.	32 33
	INSTALL, SALES & SERVICES	31
	EQUIPMENT	
	SPRAYERS & PUMPS	28 29
	VACCUM TOOLS & BLOW GUNS & PROTECTIVE WEAR	27
	TOWELS MOBILE MIXING STATION	24 25
	EXTRACTOR. CAR WASH BRANDING PROGRAM.	22 23
	SCENTS & BRUSHES & APPLICATORS	21
	ACCESORIES	
	TIRE DRESSING.	20
	SMART™ CONCENTRATES. SMART BASE™ CHEMISTRY.	17 19
	QUANTUM® CERAMIC PROCESS RINSE AGENTS & SEALANTS	13 15
	TRI-FOAM BRUSH SHAMPOOS & CONDITIONERS	12
	TIRE & WHEEL / PRESOAKS. FOAMERS & SHAMPOOS	9 11
	PRESOAK	5
	TRUCK WASH & SELF SERVE. IBA	3
	MAXIMIZE YOUR SHINE	1
	CARWASH	

15 GAL

5 GAL

2.5 L

30 GAL

We have big packages and low prices.

We have a wide variety of sizes to suit any need.

55 GAL

WHAT'S NEW

To better facilitate your search for a specific product, we have added key symbols for items with fragrances, and foam color. Use the key chart below to identify the symbols next to the product descriptions.

We categorize the products that work better on each car wash type.

KEY SYMBOLS

SS - SELF-SERVE

FA - FRICTION AUTOMATIC

TFA - TOUCH-FREE AUTOMATIC

T - TUNNEL

FOAM COLOR

WHI WHITE BLU BLUE

GRN GREEN ORG ORANGE

RED RED **PUR** PURPLE

YEL YELLOW

FRAGRANCE

B BANANA

M MELON

C CHERRY

O ORANGE CITRUS

FRESH & CLEAN

T TROPICAL

L LEMON

STRENGTH METER

STRENGTH: 1-5

We've included a guide to help you determine the strength of various chemicals, ensuring you select the best option for your needs.

For example:

1 represents a lighter product.
3 indicates a moderately strong chemical.
5 signifies the strongest option.

This scale allows you to compare products easily and choose the right level of strength for your application.

MAXIMIZE YOUR 5 H



1 | Clean

PRESOAKS

- 500 SS PRESOAK CONCENTRATED*
- 507 XTRA HOT DYNO MAX*
- 519 BODY, TIRE & WHEEL*
- 502 HEAVY-DUTY ALKALINE PRESOAK*
- 503 ORANGE CITRUS PRESOAK*
- 503F ORANGE CITRUS PRESOAK
- 501 FOAMY HOT PRESOAK SHAMPOO
- 480 POWER CLEAN PRESOAK HIGH pH
- 509 PURPLE PRESOAK
- 516 HW PERFORMANCE
- 562 SMART BASE HIGH pH™
- 741 SPLAT!™ BUG OFF*

- 483 SPARKLE LOW pH PRESOAK & BRIGHTENER*
- 504 SUPER LOW PRESOAK*
- 508 FOAMY LOW SHAMPOO*
- 506 ULTRA LOW PRESOAK w/HF
- 561 SMART BASE CLEANER™
- 563 SMART BASE LOW pH™

TIRE & WHEELS

- 510 HEAVY DUTY PRESOAK WHEEL & TIRE *
- 513 SPECIAL TIRE & WHEEL CLEANER*
- 519 BODY, TIRE & WHEEL*
- 519F BODY, TIRE & WHEEL
- 488 POWER CLEAN TIRE & WHEEL
- 512 HOT SHOT TIRE & WHEEL CLEANER
- 514 ULTRA LOW TIRE & WHEEL CLEANER

FOAMERS & SHAMPOOS

NEUTRAL

- 518 LEMONLICIOUS™ MULTIPURPOSE SHAMPOO*
- 527 SUPER CHERRY*
- 564 SMART BASE FOAM™*
- 520 SUPER FOAM BRUSH SHAMPOO
- 521 ULTRA FOAM BRUSH SHAMPOO
- 529 ULTRA CHERRY

*RECOMMENDED PRODUCTS

2 | Polish

552-553-554 - QUANTUM® POLISH* 553CL -QUANTUM® POLISH CLEAR* 555-556-557 -ULTRA LOW pH CONDITIONER

NEUTRALS

540-541-542 -ULTRA TRI-FOAM CLEAR COAT CONDITIONER*

537-538-539 -TRI-FOAM CLEAR COAT CONDITIONER

543-544-545 -EXTREME TRI-FOAM CLEAR COAT

CONDITIONER

Protect

550 -QUANTUM® CERAMIC COATING*

550GR - OUANTUM® GRAPHENE COATING*

CLEAR COAT SEALANT & PROTECTANT

580 -CARNAUBA HOT WAXTM*

STORM SHIELD TM*

574 -CHERRY CLEAR COAT SEALANT





REINTHETUNNEL

4 | Dry

551 - QUANTUM® MAX DRY*

577 - SUPER POWER DRYING AGENT*

571 - CHERRY MAX DRI*

72 - TROPICAL MAX DRI

CONCENTRATES

25002 - SMART DOSE CONCENTRATES HIGH pH PRESOAK

25002F - SMART DOSE CONCENTRATES HIGH pH PRESOAK

25003 - SMART DOSE CONCENTRATES BUG OFF

25001 - SMART DOSE CONCENTRATES LOW pH PRESOAK

25010 - SMART DOSE CONCENTRATES HIGH pH TIRE & WHEEL LOW PH

25011 - SMART DOSE CONCENTRATES LOW pH TIRE & WHEEL

25020-25021-25022 - SMART DOSE CONCENTRATES POLISH

25024-25025-25026 - SMART DOSE CONCENTRATES LOW pH CONDITIONER

25032 - SMART DOSE CONCENTRATES CLEAR COAT SEALANT

25040 - SMART DOSE CONCENTRATES BODY PROTECTANT

5 | Shine

TIRE DRESSINGS

592 - ULTIMATE PAD DRESSING*

594 - PPO™ PRIMO PAD ONLINE*

596 - THUNDERBOLT™ DRESSING*

595 - DURATION™ TIRE DRESSING - OFFLINE

EXTRAS


565 - SMART BASE COLOR™*

566 - SMART BASE FRAGRANCETM*

590 - TUNNEL & WALL CLEANER*

567 - SMART BASE SOFTENER™

591 - RUST & CORROSION INHIBITOR



CLEAN

YOUR CHEMICAL SOLUTION AT THE BEST COST PER CAR



TRUCK WASH

RECOMENDED PRODUCTS

HIGH pH

507 - XTRA HOT DYNO MAX

510 - HEAVY DUTY PRESOAK

WHEEL & TIRE

519 - BODY, TIRE & WHEEL

LOW pH

504 - ULTRA CONCENTRATED

LOW pH PRESOAK

506 - ULTRA LOW PRESOAK



SELF SERVE

RECOMENDED PRODUCTS

FOAM BRUSH

518 - LEMONLICIOUS MULTIPURPOSE SHAMPOO

526 - SELF SERVE FOAM BRUSH

540 - ULTRA TRI-FOAM CLEAR COAT CONDITIONER (RED)

TIRE & WHEEL CLEANER

513 - SPECIAL TIRE & WHEEL CLEANER

515 - SELF SERVE TIRE & WHEEL

519F - BODY, TIRE & WHEEL, W/FRAGRANCE

PRESOAK

503 - ORANGE CITRUS PRESOAK

509 - PURPLE PRESOAK

519F - BODY, TIRE & WHEEL, W/FRAGRANCE

HIGH PRESSURE SOAP

501 - FOAMY HOT PRESOAK SHAMPOO

525 - SELF SERVE SUPER BUBBLES

519F - BODY, TIRE & WHEEL, W/FRAGRANCE

WAX

569 - SELF SERVE CHERRY SPRAY WAX

576 - CARNAUBA CLEAR COAT SEALER

State and State

584 - STORM SHIELD

A R

TOUCH FREE

RECOMENDED PRODUCTS

502	HEAVY DUTY ALKALINE PRESOAK
504	ULTRA CONCENTRATED LOW PH PRESOAK
507	XTRA HOT DYNO MAX
508	FOAMY LOW PH PRESOAK
510	HEAVY DUTY PRESOAK WHEEL & TIRE
519	BODY, TIRE, & WHEEL (BTW) PRESOAK
519F	BODY, TIRE, & WHEEL (BTW) PRESOAK, W/FRAG
540	ULTRA TRI FOAM CLEAR COAT CONDITIONER (RED)
541	ULTRA TRI FOAM CLEAR COAT CONDITIONER (YELLOW)
542	ULTRA TRI FOAM CLEAR COAT CONDITIONER (BLUE)
543	EXTREME TRIPLE FOAM CC CONDITIONER (RED)
550	QUANTUM CERAMIC
551	QUANTUM CERAMIC MAX DRY
552	QUANTUM LOW PH POLISH (RED)
553	QUANTUM LOW PH POLISH (YELLOW)
553CLR	QUANTUM LOW PH POLISH (CLEAR)
555	ULTRA LOW PH CONDITIONER (RED)
556	ULTRA LOW PH CONDITIONER (YELLOW)
557	ULTRA LOW PH CONDITIONER (BLUE)
571	CHERRY MAX DRI
572	TROPICAL MAX DRI

SUPER POWER DRYING AGENT

CARNAUBA HOT WAX STORM SHIELD

CLEAR COAT SEALANT & PROTECTANT

FRICTION

577


578

580

584

RECOMENDED PRODUCTS

500	SS PRESOAK CONCENTRATED
503	ORANGE CITRUS PRESOAK
503F	ORANGE CITRUS PRESOAK WITH FRAGRANCE
510	HEAVY DUTY PRESOAK WHEEL & TIRE
518	LEMONLICIOUS MULTIPURPOSE SHAMPOO
540	ULTRA TRI FOAM CLEAR COAT CONDITIONER (RED)
541	ULTRA TRI FOAM CLEAR COAT CONDITIONER (YELLOW)
542	ULTRA TRI FOAM CLEAR COAT CONDITIONER (BLUE)
543	EXTREME TRIPLE FOAM CC CONDITIONER (RED)
550	QUANTUM CERAMIC
551	QUANTUM CERAMIC MAX DRY
552	QUANTUM LOW PH POLISH (RED)
553	QUANTUM LOW PH POLISH (YEL)
553CLR	QUANTUM LOW PH POLISH (CLEAR)
554	QUANTUM LOW PH POLISH (BLUE)
555	ULTRA LOW PH CONDITIONER (RED)
556	ULTRA LOW PH CONDITIONER (YELLOW)
557	ULTRA LOW PH CONDITIONER (BLUE)
571	CHERRY MAX DRI
572	TROPICAL MAX DRI
577	SUPER POWER DRYING AGENT
578	CLEAR COAT SEALANT & PROTECTANT
580	CARNAUBA HOT WAX
584	STORM SHIELD





2 ⋖

S

⋖

S ш

 \simeq



ÖRÄNGE CITRUS PRESOAK













STRENGTH: 3

HIGH pH SS | FA | T

480 POWER CLEAN PRESOAK HIGH pH

A concentrated high pH presoak delivering a vibrant foam show. Advanced surfactants effectively penetrate and loosen heavy traffic film, grease, and bug residues, ensuring a thorough cleaning on the vehicle's exterior surface. Perfect for high-performance cleaning applications.

WHI

DILUTE UP TO 1:200 SIZES (GAL): 5 | 55



STRENGTH: 4

HIGH pH SS | FA | T



refreshing citrus fragrance.

WHI 0

DILUTE UP TO 1:200 SIZES (GAL): 5 | 30 | 55

A concentrated natural orange solvent presoak

excellent foaming action that penetrates and loosens heavy traffic film and stubborn bug

residues from exterior vehicle surfaces. Now

Concentrated alkaline presoak that delivers

superior cleaning power with a cherry fragrance

with enhanced cleaning power. Features

This concentrated natural orange solvent presoak

residues from exterior vehicle surfaces. Leaves a

delivers excellent foaming action to penetrate and loosen heavy traffic film, grease, and bug



STRENGTH: 4

HIGH pH SS | FA | T

500 SS PRESOAK CONCENTRATED

A high-performance presoak designed to effectively remove grease and grime from vehicle surfaces. Delivers an impressive foam show when used with high-pressure systems, ensuring a thorough and visually satisfying cleaning process.

WHI

DILUTE UP TO 1:200 SIZES (GAL): 5 | 30 | 55



STRENGTH: 4

HIGH pH SS | FA | T



with a stronger, invigorating citrus fragrance for a fresh cleaning experience. WHI 0

DILUTE UP TO 1:200

PURPLE PRESOAK

and vibrant purple foam.

SIZES (GAL): 5 | 15 | 30

ORANGE CITRUS PRESOAK



STRENGTH: 4

HIGH pH SS | FA | T

FOAMY HOT PRESOAK SHAMPOO

A high-foaming, free-rinsing formula designed for exceptional cleaning performance. With strong alkalinity, it effectively removes dirt and grime while providing excellent visual appeal. Ideal for preparing vehicle surfaces with extra cleaning power.

WHI

DILUTE UP TO 1:200

SIZES (GAL): 5 | 30 | 55



STRENGTH: 4

HIGH nH SS | FA | T



PUR C

509

DILUTE UP TO 1:200 SIZES (GAL): 5 | 30 | 55



<u>high power pow</u>der presoak

A superior alkaline powder detergent designed for use as a high-pH presoak or detergent in the two-step low-pH/high-pH wash process.



STRENGTH: 3.5

HIGH pH SS | TFA | FA | T

ŠPLAT!™ BUG OFF

The safest bug remover on the market, SPLAT!™ Bug Off effortlessly lifts and removes bugs, residue, soft tree sap, and bird droppings. Its superior concentrated formula is so safe that even if it dries on the paint surface, it reactivates with water, leaving the vehicle surface undamaged.

WHI

DILUTE UP TO 1:48


SIZES (GAL): 1 | 5 | 15 | 30 | 55 | 275



STRENGTH: 3.5

HIGH pH SS | TFA | FA | T

SIZES (LBS): 50 | 400



S \leq ⋖ 0

S ш

 \simeq











SPARKLE LOW pH PRESOAK & BRIGHTENER

A highly concentrated, high-foaming, low-pH cleaner, it works excellent as a presoak, wrap lube, wheel, and tire cleaner. It penetrates and loosens dirt and road grime, making it a very effective cleaner and brightener for chrome



507 XTRA HOT DYNO MAX

Ultra-concentrated, high-pH solvent-based presoak. Delivers maximum performance with excellent foam show.

STRENGTH: 5

LOW pH TFA | FA | T

WHI

DILUTE UP TO 1:240

SIZES (GAL): 5 | 30 | 55



WHI

DILUTE UP TO 1:240

SIZES (GAL): 5 | 15 | 30 | 55



HEAVY-DUTY ALKALINE PRESOAK

Ultra-concentrated, caustic, high-pH presoak with incredible foaming action. Advanced surfactants penetrate and loosen heavy traffic film and residue from exterior vehicle surfaces for exceptional cleaning results.



508 **FOAMY LOW SHAMPOO**

Super-concentrated, low pH formula with powerful cleaning action and abundant foam. Ideal as a wrap lubricant, presoak, and promotes drying while brightening chrome and glass.

STRENGTH: 5

HIGH pH TFA | FA | T

WHI

DILUTE UP TO 1:240 SIZES (GAL): 5 | 15 | 30 | 55



LOW pH TFA | FA | T

WHI

DILUTE UP TO 1:240

SIZES (GAL): 5 | 15 | 30 | 55



504 SUPER LOW PRESOAK

Effective cleaning action with medium foam. Penetrates and loosens road soil while brightening chrome and glass.



HW PERFORMANCE

Formulated with soil-lifting agents and water conditioners, this powerful presoak effectively penetrates and loosens tough residues from vehicle surfaces. Ideal for use as a bug remover, and wheel and tire cleaner.

STRENGTH: 4.5

Ha WOJ TFA | FA | T

WHI

DILUTE UP TO 1:240

SIZES (GAL): 5 | 30 | 55



STRENGTH: 4.5

HIGH pH TFA | FA | T

WHI

DILUTE UP TO 1:240

SIZES (GAL): 5 | 15 | 30 | 55



ŬLŤŘÁ LOW PRESOAK

Our most powerful low pH presoak, featuring excellent cleaning action and high foam. Effectively penetrates and loosens road soil and grime without scrubbing. Contains HF for enhanced performance.



LOW pH

TFA I T

WHI

DILUTE UP TO 1:200

SIZES (GAL): 5 | 15 | 30 | 55





S

⋖ 0

ഗ

ш

 \simeq





POWER CLEAN TIRE & WHEEL

A robust low pH formula designed for powerful cleaning. Effectively removes road grime and brake dust while brightening all wheel types. Ideal for use through CTA systems.



514 Ultra Low Tire & Wheel Cleaner

Our strongest tire and wheel cleaner, featuring an ultra-powerful high-foaming low pH formula. Quickly removes road grime and brake dust while brightening all wheels. Ideal for use through CTA. Contains HF.

STRENGTH: 3

LOW pH

WHI

DILUTE UP TO 1:40

SIZES (GAL): 5 | 15 | 30 | 55



LOW pH

WHI

DILUTE UP TO 1:50 SIZES (GAL): 5 | 30 | 55



HEAVY DUTY PRESOAK WHEEL & TIRE

Highly concentrated alkaline formula that quickly dissolves tough road film and brake dust on tires and wheels. Cleans and shines like acid, without the harshness.



SELF-SERVE TIRE & WHEEL

A concentrated, foaming alkaline formula designed to penetrate and dissolve tough road film and brake dust on tires and wheels. Features green foam for added customer appeal. Ideal for self-serve applications.

STRENGTH: 5

HIGH pH TFA I T

WHI

DILUTE UP TO 1:48

SIZES (GAL): 5 | 15 | 30 |



HIGH pH SS I T

GRN

DILUTE UP TO 1:30

SIZES (GAL): 5 | 30 | 55



HOT SHOT TIRE & WHEEL CLEANER

This heavy-duty, low-pH concentrated formula delivers powerful cleaning performance. It effortlessly penetrates and loosens tough road soil and brake dust without the need for scrubbing. Ideal for use through CTAs, it functions as both a wheel cleaner and brightener, ensuring exceptional results every time.



SPECIAL TIRE & WHEEL CLEANER

This bright green, heavy-duty, non-caustic, water-based degreaser is specially formulated to quickly remove grease, oil, dirt, and road grime from tires and wheels

STRENGTH: 4.5

LOW pH TFA | T

WHI

DILUTE UP TO 1:36

SIZES (GAL): 5 | 30 | 55



STRENGTH: 5

HIGH pH SS I T

GRN

DILUTE UP TO 1:50

SIZES (GAL): 5 | 30 | 55



519 Body, Tire & Wheel

Highly concentrated, all-in-one cleaner designed for maximum performance. This top-performing presoak delivers high-foaming action for superior body cleaning and doubles as an effective tire and wheel cleaner. Excellent for removing tough grease and grime.



HIGH pH SS | TFA | FA | T



BODY, TIRE & WHEEL

Highly concentrated all-in-one cleaner designed for superior performance. This top-performing presoak delivers high-foaming action for effective body cleaning and doubles as a powerful tire and wheel cleaner. Removes tough grease and grime with ease, leaving surfaces spotless. Enhanced with a fresh and clean fragrance for an elevated cleaning experience. cleaning experience.



HIGH pH

SS | TFA | FA | T

WHI

DILUTE UP TO 1:240

SIZES (GAL): 1 5 | 15 | 30 | 55



WHI

DILUTE UP TO 1:240



LEMONLICIOUS™ MULTIPURPOSE SHAMPOO

Concentrated high-foaming shampoo with excellent lubricity. Perfect for hand washing, bucket brush, and prep soap. Tough on grime, bugs, gentle on hands, with a fresh lemon

STRENGTH: 3.5

NEUTRAL

WHI L

DILUTE UP TO 1:200-300 SIZES (GAL): 5 | 15 | 30 |



525 SELF-SERVE SUPER BUBBLES

Concentrated high-pressure soap with high foaming and free-rinsing action. Effectively removes tough road film and buildup. Cherry

STRENGTH: 3.5

NEUTRAL SS | FA | T

WHI

DILUTE UP TO 1:200 SIZES (GAL): 5 | 30 | 55



520 SUPER FOAM BRUSH SHAMPOO

Super concentrated shampoo producing thick, rich foam for full coverage. Ideal for foam brush units, rollovers, tunnels, high-pressure soap, and wrap lube.



SS | FA | T

DILUTE UP TO 1:500

SIZES (GAL): 5 | 30 | 55



526 SELF-SERVE FOAM BRUSH

Concentrated cherry-scented foam brush cleaner and shampoo. Produces rich foam for full surface coverage and maximum cling.

STRENGTH: 3.5

NEUTRAL SS | FA | T WHI

DILUTE UP TO 1:200 SIZES (GAL): 5 | 30 | 55



ULTRA FOAM BRUSH SHAMPOO

Ultra-concentrated foam brush cleaner and body shampoo. Creates thick, rich foam for full coverage and maximum surface cling. Ideal for foam brush units, rollovers, and tunnels.

STRENGTH: 5

NEUTRAL

WHI

DILUTE UP TO 1:600-800

SIZES (GAL): 5 | 15 | 30 | 55



STRENGTH: 4

NEUTRAL

SUPER CHERRY

Super-concentrated foam brush cleaner and body shampoo with a vibrant cherry fragrance. Delivers thick, rich foam for complete coverage and superior surface cling. Ideal for foam brush units, rollovers, tunnels, and functions as an exceptional high-pressure soap.

WHI

DILUTE UP TO 1:500

C

SIZES (GAL): 5



ULTRA CHERRY

Ultra-concentrated foam brush cleaner and body shampoo with a delightful cherry fragrance. Produces mounds of thick, rich foam for complete surface coverage and maximum cling. Perfect for foam brush units, rollovers, and tunnels.

STRENGTH: 5

SS | FA | T

WHI C

DILUTE UP TO 1:600-800

SIZES (GAL): 5 | 15 | 30 | 55





Concentrated foam brush and body shampoo that delivers a rich, vibrant foam for excellent coverage and surface cling. Features a pleasant cherry fragrance for an enhanced washing experience



C

NEUTRAL SS | FA | T **DILUTE UP TO 1:200**

SIZES (GAL): 5 | 30

STRENGTH: 3.5

STRENGTH: 5



RED

TRI-FOAM CLEAR COAT CONDITIONER

Concentrated, thick foam conditioner with a neutral pH, designed for clear coat protection. Free rinsing for a streak-free finish. Features a pleasant cherry

C

STRENGTH: 3.5

NEUTRAL SS | FA | T **DILUTE UP TO 1:200**

SIZES (GAL): 5 30 | 55



RED

YEL

BLU

EXTREME TRI-FOAM CLEAR COAT CONDITIONER

Hyper-concentrated, thick foam conditioner with a neutral pH. Twice the concentration of the Ultra Triple Foam Clear Coat Conditioner. Free rinsing and cherry fragrance.

NEUTRAL

SS | FA | T

DILUTE UP TO 1:700-900

SIZES (GAL): 5 | 15 | 30



540 **RED**

BLU

ULTRA TRI-FOAM CLEAR COAT CONDITIONER

Ultra-concentrated, thick foam conditioner with a neutral pH for optimal clear coat care. Twice the concentration of the standard Tri-Foam. Free rinsing with a refreshing cherry fragrance.

C

STRENGTH: 4

NEUTRAL SS | FA | T **DILUTE UP TO 1:500**

SIZES (GAL): 5 | 30 |



RED

BLU


ULTRA LOW pH CONDITIONER

A powerful, ultra-concentrated formula that delivers thick foam and free rinsing. This low pH conditioner enhances vehicle surfaces while offering brilliant customer appeal.

LOW pH **DILUTE UP TO 1:240**

SS | FA | T

SIZES (GAL): 5 | 15 |





POLISHES

552 **RED**

553 **YEL**

554 BLU

553CLR WHI

Highly concentrated low pH foaming polish engineered with nanoceramics for superior performance. Quantum® Polish enhances drying, rinses clean, and provides brilliant color while sealing and protecting against road grime and contaminants. Infused with iridescent brighteners for an incredible shine and a refreshing melon fragrance.



AVAILABLE SIZES:

30

15

5

2.5

STRENGTH: 4.5

LOW pH SS | TFA | FA | T

DILUTE UP TO 1:240

SIZES (GAL): 5 | 15 | 30

CERAMIC COATING



Quantum® Ceramic, fortified with advanced ceramics, is the foundation of the Quantum® Process. It delivers exceptional gloss with extreme hydrophobic properties, enhancing drying while protecting against oxidation, UV rays, etching, and staining. This coating also makes the removal of insects and bird droppings effortless. No fragrance.



NGTH: 5 WHI

550NF

TFA | FA | T

| SIZES (GAL): 5 | 15 | 3

GRAPHENE COATING

550GR QUANTUM® GRAPHENE COATING Stinger's advanced Graphene blend p

Stinger's advanced Graphene blend provides unparalleled vehicle surface protection. This cutting-edge formula offers:

- Extreme hydrophobicity for superior water repellency
- The strongest known vehicle surface protectant
- Enhanced drying performance
- Incredible gloss and a vivid mirror finish
- Enhanced ceramic coating performance

Experience the ultimate in surface protection and visual brilliance.



550GR





DILUTE UP TO 1:120-200

SIZES (GAL): 5 | 15 | 30



CERAMIC COATING

QUANTUM® CERAMIC COATING Quantum® Ceramic, fortified with a ceramics, is the foundation of the C

Quantum® Ceramic, fortified with advanced ceramics, is the foundation of the Quantum® Process. It delivers exceptional gloss with extreme hydrophobic properties, enhancing drying while protecting against oxidation, UV rays, etching, and staining. This coating also makes the removal of insects and bird droppings effortless. Features a refreshing melon fragrance.



550

TFA | FA | T



DILUTE UP TO 1:120-200

SIZES (GAL) - 5 | 15 | 3



MAX-DRY



557 Quantum® Max Dry


Formulated with advanced nanoceramics for instant bonding, Quantum Max Dry delivers exceptional hydrophobicity to the vehicle's surface. As the final step in the three-step process, this drying agent achieves the driest finish and a brilliant, hand-waxed gloss for a superior appearance.

STRENGTH: 5

TFA | FA | T

DILUTE UP TO 1:2000

SIZES (GAL): 5 | 15 | 30







$\begin{array}{c} \textbf{580} \\ \textbf{CARNAUBA HOT WAX}^{\text{TM}} \end{array}$

Premium carnauba wax enhanced with nano polymer protection. Delivers a high-gloss, lustrous finish with a smooth surface. Free rinsing with no runout and a refreshing lemon fragrance.

ORG



STRENGTH: 5

TFA | FA | T

DILUTE UP TO 1:500

SIZES (GAL): 5 | 15 | 30 | 55





The ultimate total body weather protection. Uses advanced polymer technology to form a weather-tight seal, offering superior water repellency, UV, ozone, and environmental protection. Delivers unmatched high gloss without streaking or smearing glass and eliminates the need for windshield wipers. Tropical fragrance for a refreshing finish.

YEL



STRENGTH: 5

TFA | FA | SS | T

DILUTE UP TO 1:250

SIZES (GAL): 5 | 15 | 30 | 55





Smart Concentrates™ Storage System

The Smart Concentrates™ storage system is one of the most convenient and efficient concentrate storage and dispensing solutions on the market today. When paired with Smart Concentrates™, this system delivers a safe, powerful, and cost-effective solution that ensures consistent and exceptional results in your car wash.

Built with the "keep it simple, keep it safe" philosophy, Smart Concentrates™ offer flexibility, reliability, ease of use, and safety. Don't let your chemical performance suffer—be smart with Smart products!



25001

SMART LOW pH PRESOAK

Provides excellent cleaning action with abundant low pH foam. Works effectively as a tunnel wrap lubricant and enhances the shine on any vehicle. Best used as a Low pH Presoak. For optimal results, apply through V-jets, K-sticks, or foam tubes in tunnels.

WHI

LOW pH

STRENGTH: 5

DILUTE UP TO 1:350 SIZE: 2.5 GAL

25002 SMART HIGH pH PRESOAK

A concentrated, high pH, high foaming, free-rinsing presoak/ shampoo. Formulated with strong alkalinity and solvent for enhanced cleaning power, effectively removing tough dirt and

WHI

HIGH pH TFA | FA | T

STRENGTH: 5

DILUTE UP TO 1:300 SIZE: 2.5 GAL

25002F SMART HIGH pH PRESOAK

A concentrated, high pH, high foaming, free-rinsing presoak/shampoo. Formulated with strong alkalinity and solvent for superior cleaning power. Leaves a fresh and clean fragrance.

WHI



HIGH pH TFA | FA | T

STRENGTH: 5

DILUTE UP TO 1:300

SIZE: 2.5 GAL

25003

SMART BUG OFF

A powerful concentrated bug cleaner that effectively removes bugs, bug residue, and soft tree sap from all vehicle surfaces. Safe for use on grills, hoods, and windows. This biodegradable, fragrance-free formula is the safest option available, drying on the surface without staining. It reactivates when water is applied, providing an efficient cleaning solution for tough residues.

WHI

HIGH nH TFA | FA | T

STRENGTH: 4

DILUTE UP TO 1:48 SIZE: 2.5 GAL

25010

SMART HIGH pH TIRE & WHEEL

A highly concentrated alkaline cleaner designed for tires, wheels, and rims. This powerful formula quickly penetrates and dissolves even the toughest road film and brake dust, delivering exceptional cleaning performance.

WHI

HIGH pH TFA | FA | T

STRENGTH: 5

DILUTE UP TO 1:50 SIZE: 2.5 GAL

25011 SMART LOW pH TIRE & WHEEL

Formulated for effective cleaning, this low pH tire and wheel cleaner penetrates and loosens road soil without the need for scrubbing. It delivers excellent cleaning action to remove dirt and grime.

WHI

LOW pH

STRENGTH: 5

DILUTE UP TO 1:50 SIZE: 2.5 GAL

ᆂ



Smart Concentrates™ Storage System Key Benefits:

- Low Cost Per Car: Achieve more cost-effective results with each wash.
- •Simple Installation: Quick setup, making it easy to implement into your car wash.
- Easy Reload: Easily replenish product levels with minimal downtime.
- •Total Drain Design: Maximizes product use with no waste, ensuring efficiency.
- Easy Product-Level Monitoring: Track product levels at a glance for smooth operation.
- •Less Floor and Storage Space: Compact design saves valuable space in your facility.
- Easy Disposal of Empty Containers: Dispose of containers effortlessly, reducing waste.
- Easy Inventory Management: Keep your inventory organized and easy to manage.
- No Need to Overstock Inventory: Stock only what's necessary, preventing excess inventory.



25020 - 25021 - 25022 RED YEL BLU

SMART POLISH

This concentrated, creamy foam polish is free rinsing and formulated with a low pH to deliver the highest possible shine. Designed to achieve optimal water beading results, it improves blower efficiency and ensures minimal runout. The polish leaves vehicles with a brilliant finish, enhanced by a fresh melon fragrance.

М

LOW pH

STRENGTH: 5

DILUTE UP TO 1:500 SIZE: 2.5 GAL

25024 - 25025 - 250226 RED YEL BLU

SMART LOW pH CONDITIONER

This concentrated, fast-rinsing Low pH conditioner is designed for excellent foaming action, enhancing water removal and improving blower efficiency.

STRENGTH: 4.5

LOW pH

DILUTE UP TO 1:350 Size: 2.5 gal

25030 SMART QUICK-DRI

This concentrated, free-rinsing sealant offers excellent water beading and superior protection against UV rays and road grime. Powered by Smart Gloss Technology.

STRENGTH: 5

TFA | FA | T

DILUTE UP TO 1:600 SIZE: 2.5 GAL

25032 SMART CLEAR COAT SEALANT

A hyper-concentrated, thick, free-rinsing formula designed for excellent water beading and sealing action, featuring iridescent brighteners for a stunning shine. For the best results, use arch systems, V-jets, rain bars, or K-sticks to create milky foam. Ideal for enhancing drying and leaving a high gloss finish on the paint's surface. Mix product at a ratio of 850:1 for optimal performance.

STRENGTH: 5

TFA | FA | T

DILUTE UP TO 1200-1800 Size: 2.5 GAL

25040 SMART BODY PROTECTANT

A total body protectant that adheres to all vehicle parts, providing the highest level of protection against weather elements like rain, snow, sleet, and UV rays. Designed for use online through v-jets, foaming arc foam tubes, showerheads, rain bars, or cascade applicator arches. Features a tropical fragrance for an enhanced user experience.

E

TFA | FA | T

STRENGTH: 5

DILUTE UP TO 1:240 SIZE: 2.5 GAL

25041 SMART HOT WAX

Premium carnauba wax combined with nanopolymer protection. This high-foaming, fast-rinsing formula delivers exceptional results.

STRENGTH: 5

TFA | FA | T

DILUTE UP TO 1:90-1:120 SIZE: 2.5 GAL





561 SMART BASE CLEANER™

A versatile surfactant cleaning and foam base builder. Formulated with powerful cleaners, solvents, and builders, it excels as a presoak or degreaser for tackling tough soils and grime.

WHI

STRENGTH: 5

FA | SS | T

SIZES (GAL):

5 | 15 | 30

562 SMART BASE HIGH pH™

A high-pH alkaline base builder designed to mix with SB1 or SB4. Enhances foam performance and reduces costs when added to alkaline presoaks, wheel cleaners, or detergents. Boosts cleaning power effectively.

WHI

STRENGTH: 5

HIGH pH TFA | <u>T</u> SIZES (GAL):

5 | 15 | 30

563 SMART BASE LOW pH™

A low-pH acid base builder formulated to mix with SB1 or SB4. Creates exceptional lowpH presoaks, wheel cleaners, or detergents, enhancing cleaning performance and efficiency.

WHI

STRENGTH: 5

LOW pH TFA | T SIZES (GAL): 5 | 15 | 30

564 SMART BASE FOAM™

Foamy base builder designed to mix with SB2 or SB3 for creating high-performance cleaners, presoaks, and shampoos. Enhances foam show and cleaning efficiency. Versatile for use as a wrap foam lubricant or in lava arches.

WHI

FA | SS | T

STRENGTH: 5

SIZES (GAL): 5 | 15 | 30

565 Smart base color™

Color base dye additive designed for any application of your car wash. Adds vibrant, colorful effects to your car wash experience, making it more engaging and visually striking.

65R RED

5650

5650 **ORG**

565B BLU

5656 **GRN** 565P **PUR**

STRENGTH: 5

TFA | FA | SS | T

SIZES (GAL): 5 | 30

566 SMART BASE FRAGRANCE™

Fragrance base additive for any application in your car wash. Tailor the experience by choosing your preferred scent and adjusting the intensity. Available in:

566C (CHERRY) 566TC (TROPICAL CITRUS) 566GA (GREEN APPLE) 566LL (LEMON LIME)

STRENGTH: 5

TFA | FA | SS | T


SIZES (GAL): 5 | 30

567 SMART BASE SOFTENERTM

A softener base additive designed for car washes with hard water issues. This product softens the water as it mixes, enhancing the cleaning power of the chemicals for more effective results.

STRENGTH: 5

TFA | FA | SS | T





590 TUNNEL & WALL CLEANER

A highly effective, high-foaming acidic cleaner designed to tackle tough dirt, rust, hard water deposits, and detergent residue. Perfect for use on glazed and ceramic tiles, painted and natural brick, FRP, tunnels, car wash bay walls, Lexan, stainless steel, and aluminum surfaces.

SIZES (GAL):



591 RUST & CORROSION INHIBITOR

A water-soluble additive designed for undercarriage protection. Effectively repels water and leaves a durable protective coating on the vehicle's undercarriage, guarding against rust and corrosion.

STRENGTH: 5



FRESH SCENT FRAGRANCES

Ready-to-use liquids freshen the air, eliminate offensive, stale, musty odors, and provide a long-lasting scent. Non-staining.

952 CHERRY

954 VANILLA

956 NEW LEATHER

BABY POWDER

960 FRESH CAR

961 NEW CAR

965 PINA COLADA

973 LEMON LIME

976 SPRING COTTON

978 BLACK OPAL



B52 5 SIDED WASH BRUSH



B30 BI-LEVEL GREEN FLAGGED TRUCK BRUSH



B14 10" TRUCK BRUSH / ACID RESISTANT GREEN PLASTIC



B11 8" TRUCK BRUSH **GREEN ACID RESISTANT**



B13 5' WOOD HANDLE W/METAL THREADS



B23 SHORT HANDLE UTILITY OR TIRE DRESSING BRUSH



B50 LONG HANDLE BRUSH **GREEN FLAG**



A05U FAST WAX POLISH APPLICATOR 4" X 5"



A55 JUMBO TIRE DRESSING **APPLICATOR**



A05T RED FOAM, TIRE DRESSING APPLICATOR 3"X4"



A05 4" X 5" A05L (LARGE) 6.5" X 4.5"

SMART EXTRACTOR[™]

SIMPLY THE MOST INNOVATIVE AND POWERFUL EXTRACTOR EVER DESIGNED

12 GAL EXTRACTOR

3 STAGE VAC MOTOR

1000 WATT

120 PSI

The Smart Extractor™ incorporates so many advanced features and patented innovations in a single design. Using a three-stage vacuum motor combined with the air-inlets in parallel gives this extractor the best combination of lift/airflow ever produced in an automotive extractor.









709ENZYME CARPET & PRESPOTTER

710 DEFOAMER EXTRACTOR

711

HD EXTRACTOR CONCENTRATE





0 R





INCREASE REVENUE, ENHANCE BRAND, DRIVE BUSINESS

Choose from a great variety of products, in retail-size packaging with your brand.

Stinger Chemical products are now available in convenient vending machine sizes and retail-friendly options for your customers.

Stock Up & Stand Out!

Boost your unlimited memberships and enhance your customer's experience by stocking your car wash vending machines with must-have products like:

- · Glass Cleaner
- Tire Dressing
- Fragrances
- Leather Conditioner
- Bug Remover
- Tree Sap Remover

With your customized logo and QR code on each product, you will increase brand awareness and help keep your car wash name at the forefront of your customer's minds. No other carwash chemical manufacturer offers this personalized opportunity.

Take the Next Step!

Take advantage of this opportunity to enhance your car wash offerings. Explore our product range and elevate your customer experience today!

Build Value to your brand Increase Memberships





က

Drive customers to your Unlimited Plan.











LEATHER & VINYL SERVICE,



A50B BLUE A50R RED A50G GREEN

MICROFIBER PLUSH CARWASH TOWELS EDGELESS

16" X 24" 10 PER PACK



A23K MICROFIBER GLASS CLOTH, BLACK

16" X 16" 20 PER PACK



GALLON HAND PUMP



STAINLESS STEEL WIRE GALLON HOLDER W/ GALLON & PUMP



E62 STAINLESS STEEL WIRE GALLON HOLDER



A23 Microfiber Light blue Towel edgeless

16" X 16" 20 PER PACK




A23Y MICROFIBER YELLOW TOWEL EDGELESS 16" X 16"

10 PER PACK



A23G MICROFIBER BRIGHT GREEN TOWEL EDGELESS 16" X 16"

20 PER PACK



A62 MICROFIBER DK BLUE WAFFLE TOWEL EDGELESS

16" X 24" 10 Per Pack



E64
TOWEL BOX
STAINLESS STEEL
14" X 14 1/2" X 30"



you. Please order appropriate mixers for your particular needs.





CREVICE TOOL **F20 - 1.5**"



CLAW F29 - 1.5"



SWIVEL CUFF F22 - 1.5"



COLORS MAY VARY

VACUUM HOSE F21 - 1.5" X 12' SOLD EA.



COLORS MAY VARY

F30 Vacuum Hose 1.5" x 25" Sold Ea.



A16 Air blow gun



A36 AIR BLOW GUN OSHA APPROVED



A46 Typhoon High Volume Air Blow Gun Osha Approved



A54 Matt Clamp



A22 Safety Glasses



A18M - A18L - A18XL CHEMICAL RESISTANT NITRLE GLOVES 100 PER BOX / 10 BY CASE (SOLD BY BOX)





D18 BLACK TRIGGER SPRAYER



D03 ORANGE TRIGGER SPRAYER



D12 MAXI CHEMICAL RESISTANT SPRAYER



D01B 12 oz DISPENSER Bottle (NO LOGO)

D01

12 oz Dispenser



DO2B 32 oz SPRAY Bottle (No logo)



D07 **EMPTY 5 GAL. TANK** WITH LID D07-CAP 5 GAL. CAP



D09 STANDARD FLO-RITE FAUCET



D15 3/4" DISPENSER FLO-RITE FAUCET



E10 5 GAL HEADPAK WRENCH 70 mm



E09 UNIVERSAL DRUM WRENCH



E07 HEAVY-DUTY SIPHON PUMP-POLYETHYLENE 55 GAL



E08 SUPER DUTY PISTON PUMP / PVC PAIL 5 GAL



E11 **EZI DRUM PUMP** NOT FOR SOLVENTS 55 GAL



E41 **GALLON HAND PUMP**



E61 STAINLESS STEEL WIRE GALLON HOLDER W/GALLON & PUMP



E62 STAINLESS STEEL WIRE **GALLON HOLDER**



633GAP1R,B,G,Y **DEMA BLEND CENTER**

1 GAL PER MIN. RGB, 4 GAL PER MIN. Y 1 GAL PER MIN HC - 633GAPL.B1



DEMA-63170 DEMA HC KIT



F49 1/4" SCREW IN EDUCTOR STUB



F46 **GREY UNIVERSAL** FOOT VALVE



F47 **BLUE VITON FOOT VALVE**



F45 DEMA ULTRA LEAN TIP KIT



F41 HYDROMINDER THREAD METERING TIP KIT



F42



F43 HYDROMINDER ULTRA **LEAN TIP KIT**

F44 **DEMA METERING**

TIP KIT



F34-1/4 F34-3/8 1/4 LD CLEAR TUBING 3/8 LD CLEAR TUBING 100' ROLLS



F39 1/4" ULTRA LEAN **EDUCTOR STUB**



HYDROMINDER PUSH-IN

METERING TIP KIT

F40 1/4" EDUCTOR PLUG



F35R RED F35Y YELLOW F35G GREEN F35B OPAQUE BLUE FLEXCOIL HOSE 1/4" MPT X 25'



DRUM PROPORTIONER



FLO JET PUMP 5 GAL PER MIN. F33S SANTOPRENE F33V VITON



515 HYDROMINDER



F48 HYDROMINDER **REBUILD KIT** FOR: 506, 507, 511, 515, 5111



F37-01 .01 GAL PER MIN. F37-02 .02 GAL PER MIN. F37-03 .05 GAL PER MIN. F37-05 1 GAL PER MIN. **SPRAY TIPS FOR F36**



F38 4-WAY SMART EDUCTOR™



F50 SPRAY SYSTEM PLASTIC TRIGGER SPRAYER ADJUSTABLE SPRAY TIP



F51 ADJUSTABLE CONE JET TIP FOR F50



SPRAY SYSTEM BRASS **6590 TRIGGER SPRAYER**



Did you Know that Stinger Chemical can Build, Install, and Repair Car Washes?

Yes, we can! At Stinger Chemical, our skilled car wash equipment and installation team is highly trained and knowledgeable in all car wash systems. Equipped with the right tools and parts, they ensure every project runs smoothly and efficiently. Whether it's a first-time installation, building a new car wash, or upgrading existing equipment, our team delivers reliable and seamless service. With a focus on quality and customer satisfaction, we are your trusted partner in optimizing your car wash investment and achieving your business goals -giving you peace of mind that your car wash will operate at peak performance.

Since 1988

- Equipment Sales and Service
- Central Vacuum & Extractor Systems
- Pressure Washers
- Laundry Systems
- Waste Water Systems
- Air Compressors Systems
- Chemical Dispensing Systems



















SS-T43-FJX-08-08 1/2" HOSE X 1/2" 37 JIC (3/4"-16 THREAD) FEMALE SWIVEL STAINLESS HOSE FITTINGS

SS-T43-MPX-06-06 3/8" Hose X 3/8" NPT Male Pipe Swivel, Stainless Hose Fittings

UFW-08
1/2" ULTRAFLEX – 2SNK
HIGH ABRASION COVER BRAIDED HYDRAULIC HOSE







UFW-06 3/8" Ultraflex – 2SNK High abrasion cover braided hydraulic hose

TSS-316-500-49-20 1/2" SEAMLESS TUBING .049 WALL - 20' STICK

SUEI-8 1/2" T 90 Deg Union Elbow, 2 Ferrule







SAUI-8-8U 1/2" T X 1/2" JIC 37° An Union, 3/4-16 Straight Thread



MJIC-2404-08-08N 1/2" MJIC 3/4"-16 X 12" M NPT STRAIGHT

GS



MCC-050-W4-K 1/2" T MCC-075-W4-K 3/4" T MCC-075-W4-K 1-1/4" T

UNISTRUT CUSHION CLAMP



ATP-PL 1/2-N2
1/2 X 1/4 SWIVEL MALE ELBOW
ATP-PL 3/8-N2
3/8 X 1/4 SWIVEL MALE ELBOW



ATP-HUL 1/2-1/2 1/2 X 1/2 UNION ELBOW ATP-HUL 3/8-3/8 3/8 X 3/8 UNION ELBOW







ATP-HUT 1/2-1/2 1/2 X 1/2 UNION TEE ATP-HUT 3/8-3/8 3/8 X 3/8 UNION TEE

ATP-HUC 1/2-3/8 1/2 X 3/8 UNION REDUCER (PACK OF 5)

ATP-HUC 3/8-3/8 3/8 x 3/8 UNION (PACK OF 10)





100001949 MALE CONNECTOR 1/2-3/8 1/2 Tube x 3/8 MPT

HF-3000970 CHECK VALVE 1/2





EVOLUTION 1-3 COLOR SHEET WITH MOUNT



FRB-1MK FOAMING RAIN BAR STAINLESS WITH MOUNT



ETF-1MK TOP EAR FOAMER WITH GENERATOR, WITH MOUNTING KIT



ETRP-2MK TRIPLE EAR FOAMER SET WITH GENERATOR, WITH MOUNTING KIT



TWF-2MK TWIN EAR FOAMER SET WITH GENERATORS AND MOUNTING KIT



EEF-1MK **ELEPHANT EAR FOAMER** WITH MOUNTING KIT



EEF-2MK **ELEPHANT EAR FOAMER SET** WITH MOUNTS



EVF-2MK **ELEPHANT EAR V JET FOAMER SET** WITH MOUNTING KIT

S \simeq





MSK-1MK Mini Scent Generator WITH MOUNTING KIT 0.5 GPM NOZZLE



GEN-1 Easy Clean Generator



CTA-2MT CTA APPLICATOR SET WITH MOUNTS



BJA-1MK **BUG JUISE APPLICATOR** STATION



GEN-1-INSERT EASY CLEAN GENERATOR INSERT



CYC-LMK **EXTENDED MOUNTS FOR LIGHT** AND ADDITIONAL APPLICATOR



INSERT-1PD **INSERT REPLACEMENT PAD 1 PC**



IB-44SQ U-BOLT 4" SQUARE



200018064 MRF FOAMINATOR MAXX Stream assy



20017170 MRF SS SINGLE COLOR FOAMING RAIN BAR KIT



20017225 MRF TWIST N KLEEN FOAM GENERATOR



10013162 MRF FOAM CHAMBER INSERT PADS PACK OF 10



20017008 MRF BANANA HYBRID Top & Sides Kit



20017017 MRF BANANA FOAMER V-Jet set of 2



20017412 MRF CHEMICAL TIRE APPLICATOR DS/PS SET



10014673 PE-U-BOLT-SS 3/8-16 X 4 X 4-3/4 RD



10010028 U-BOLT SQ BEND 3/8-16 x 5 x 4-1/8 ss (includes 1 bolt, 2 nuts, 2 washers)

S



RGBW WASH LED BAR LIGTHS



ENVIRONMENT LED LUMINAIRE LIGTHS



LOLLIPOPS TUNNEL















PRODUCT	ID	DESCRIPTION
POSTER	m-poster M-PC	18" X 24" PRINTED ON 10 MIL PAPER CUSTOM SIZE OR DESIGN
WIND SIGNS	M-WM M-WP M-WA	WIND MASTER FRAME WITH BASE PLASTIC WIND SIGN WITH BASE A-FRAME PLASTIC SIGN
WIND SIGN Inserts	M-WMI M-WPI M-WIC	28" X 44" FOR WIND MASTER 24" X 36" FOR PLASTIC FRAME CUSTOM DESIGN
BANNERS	M-B83 M-BC	8' X 3' CUSTOM SIZE OR DESIGN
POP-UP Displays	M-PU	31" X 82"



M-WP



M-WA



FLAGS





STANDARD SIZES: 8'

M-F003



OUTDOOR OR INDOR HARDWARE AVAILABLE.





M-F005



M-F008



M-F009



M-F000C



POSTERS & WIND SIGNS

STANDARD SIZES:

M-POS- POSTER: 18" X 24"

M-WMI- WMI: 28" X 44" M-WPI- WPI: 24" X 36"


Select from any one of our product brands or let us create a custom

design with your brand.

1006



1010



1014



1001



1007



1011




1017




1002



1008



1012



1018



1005



1009



1013



0000C



BANNERS

STANDARD SIZE: 8' X 3'

For indoor and outdoor display. Select from our product brands or let our marketing team create a custom designed banner for your location.

M-B001



M-B003



M-B004



M-B005



M-B006



M-B007



M-B009



M-B010



M-B011



M-B012



M-B000C



STANDARD SIZE: 72" X 12"

For outdoor display. Select from our product brands or let our marketing team create a custom designed gate sign for your location.

M-GS001



M-GS002



M-GS003



M-GS004



M-GS005



M-GS000C



\checkmark 2 ¥ Σ

CONE COVERS*





DRUM COVERS* / 36" X 72"

M-DC001



M-DC002



M-DC003



M-DC004



M-DC005



M-DC006

M-DC008




CUSTOM SIG

M-DC000C YOUR DELIVERS & HIGH

*CUSTOM DESIGN AVAILABLE











FLAGS 8'



M-F006 M-F007



INSERT

M-WMI-1016 CERAMIC

CONE COVER



M-C006 CERAMIC **M-C007 GRAPHENE**

STIMBER

DRUM COVERS M-DC007



M-DC008



GATE SIGNS

M-GS006 DUANTUM EXTREME HYDROPHOBICITY EXCEPTIONAL GLOSS 0 3 M-GS007



CUSTOM CAR WASH SIGNAGE

Our design team can help you brand your car wash location with custom signage that is sure to leave a memorable impression on your customers.

Select from any of these types of sign formats to help promote your products and company brand throughout your lobby, car wash tunnel, outdoor spaces, or self-service areas.

- DIE-CUT ARCHES (BACKLIT & NON-BACKLIT)
- ► TUNNEL FIXTURES (ROUND & RECTANGULAR)
- WINDOW GRAPHICS
- PUMP FRAMES

- ► MENU BOARD SIGNAGE
- FEATHER FLAGS
- ► CONE SLEEVES
- DRUM COVERS



RAIN FOREST









DO YOU HAVE YOUR STINGER GEAR?

Assorted Stinger brand merchandise in stock.
Contact us for available sizes and colors



STINGER LOGO CAP W/ MESH BACKING



M-BC80

STINGER BEE HAT W/ MESH BACKING



STINGER GOLF SHIRT M-STINGER SHIRT Size: S- 4XL AVAILABLE IN: BLUE GREY DARK GREY



MARKETING

DRY ERASE BOARDS

PRODUCT	ID	DESCRIPTION
DRY ERASE BOARDS	M-DE M-DEC	24" X 36" Custom size or design
HAND HELD MENU	м-нн	8.5" X 11"



M-DE01

M-DE02

DECALS

Also referred to as car stickers, decals designs are made out of self-adhesive vinyl and displayed on the windows or body of your car, truck, or any other vehicle.

	ID	DESCRIPTION	SIZE
3	M-VDEC01	Stinger Bee Shield Decal	6.5" x 8"
STINGER	M-VDEC02	Stinger Logo Decal	15" x 4"
STINGER® PSI	M-VDEC03	Stinger and Bee Decal	11" x 3"
PROUDLY FEATURING STINGER 6 11 E M 1 C A L PROFESSIONAL PRODUCTS	M-VDEC04	Stinger Vehicle Decal	5" x 3"



WE HAVE BIG PACKAGES & SMALL PRICES





Suggested Usage in mls

NUMBER	DESCRIPTION	TUNNEL	IBA (Friction)	IBA (TF)	APPLICATOR
502	Heavy Duty Alkaline Presoak	9-13	9-13	35-45	K-Nozzles/V-jets
503	Orange Plus Citrus Alkaline Presoak	12-15	12-15	35-45	K-Nozzles/V-jets
503F	Orange Plus Citrus AlkalinePresoakw/Frag	12-15	12-15	35-45	K-Nozzles/V-jets
504	Ultra Concentrated Low pH Presoak	10-15	10-15	30-40	Banana foamer
507	Xtra Hot Dyno Max	9-13	9-13	35-45	K-Nozzles/V-jets
508	Foamy Low pH Presoak	6-10	4-8	30-40	Banana foamer
510	Heavy Duty Tire and Wheel Cleaner	10-20	10-20	35-45	Foaming CTA
512	Hot Shot Tire and Wheel Cleaner	10-20	10-20	n/a	Foaming CTA
518	Lemonlicious Multipurpose Shampoo	8-12	6-10	n/a	V-jets/Rainbar
519	Body, Tire, & Wheel (BTW) Presoak	8-12	8-12	35-45	K-Nozzles/V-jets
519F	Body, Tire, & Wheel (BTW) Presoak, w/Frag	8-12	8-12	35-45	K-Nozzles/V-jets
540	Ultra Tri Foam Clear Coat Conditioner Red	5-10	4-8	4-8	Banana foamer/FRB
541	Ultra Tri Foam Clear Coat Conditioner Yellow	5-10	4-8	4-8	Banana foamer/FRB
542	Ultra Tri Foam Clear Coat Conditioner Blue	5-10	4-8	4-8	Banana foamer/FRB
543	Extreme Triple Foam CC Conditioner Red	8-12	8-12	8-12	Foaming Rainbar/WOF
550	Quantum Ceramic	12-18	12-18	12-18	Foaming Rainbar/Banana foamer
551	Quantum Ceramic Max Dry	6-10	6-10	6-10	V-jets/K-Nozzles/Rainbar
552	Quantum Low pH Polish (RED)	8-12	6-10	6-10	Banana Foamer/FRB
553	Quantum Low pH Polish (YEL)	8-12	6-10	6-10	Banana Foamer/FRB
553CLR	Quantum Low pH Polish (CLEAR)	8-12	6-10	6-10	Banana foamer/FRB
554	Quantum Low pH Polish (BLUE)	8-12	6-10	6-10	Banana foamer/FRB
555	Ultra Low pH Conditioner Red	5-10	4-8	4-8	Banana foamer/FRB
556	Ultra Low pH Conditioner Yellow	5-10	4-8	4-8	Banana foamer/FRB
557	Ultra Low pH Conditioner Blue	5-10	5-10	4-8	Banana foamer/FRB
571	Cherry Max Dri	15-20	15-20	15-20	V-jets/Rainbar
572	Tropical Max Dri	15-20	15-20	15-20	V-jets/Rainbar
578	Clear Coat Sealant & Protectant	6-10	6-10	6-10	V-jets/Rainbar
580	Carnauba Hot Wax	15-60	15-60	15-60	Foaming Rainbar/Banana foamer
584	Storm Shield	12-18	12-18	12-18	K-Nozzles/Banana foamer/Foaming Rainbar
596	Thunderbolt Dressing	18-30	18-30	18-30	Tire shiner
741	Splat Bug Off	15-30	15-30	15-30	Hand applied - Trigger Gun with Wand

^{*}The variances in mls pulled is due the different applicators.



Suggested S/S Products

PRESOAK

NUMBER		DESCRIPTION	TIPS HYDROMINDER 511
	509	Purple Presoak	Orange / Brown
	503	Orange Citrus Presoak	Orange / Brown
	500	SS Presoak	Orange / Brown

FOAM BRUSH

518	Lemonlicious Multipurpose Shampoo	Pink / Purple
526	SS Foam Brush	Pink / Purple
527	Super Cherry Foam Brush	Pink / Purple
540	Ultra Tri Foam Clear Coat Conditioner Red	Pink / Purple
541	Ultra Tri Foam Clear Coat Conditioner Yellow	Pink / Purple
542	Ultra Tri Foam Clear Coat Conditioner Blue	Pink / Purple

TIRE & WHEEL CLEANER

515	SS Tire & Wheel	Red/ White / Blue
513	Special Tire & Wheel	White / Blue / Tan

WAX / SEALANT

576	Carnauba CLear Coat Sealer	Green / Orange / Brown
571	Cherry Max Dri	Orange / Brown / Yellow
569**	SS Cherry Spray Wax**	

HIGH PRESSURE SOAP

(525**	SS Super Bubbles**	Orange / Brown
	501 Foamy Hot Presoak Shampoo		Orange / Brown
	702**	Super Soap **	Orange / Brown

TRI FOAM GUN

534	SS Tri Foam Red	Blue / Tan / Green
535	SS Tri Foam Yellow	Blue / Tan / Green
536	SS Tri Foam Blue	Blue / Tan / Green
540	Ultra Tri Foam Clear Coat Conditioner Red	Orange / Brown / Yellow
541	Ultra Tri Foam Clear Coat Conditioner Yellow	Orange / Brown / Yellow
542	Ultra Tri Foam Clear Coat Conditioner Blue	Orange / Brown / Yellow

DEMA™ DILUTION RATIO CHART

PROPORTIONER MODELS 164C & 164BAG & BLEND CENTERS (1 GPM / 3.8 LPM)			
TIP	RATIO	oz/gal.	mL/L
TAN	102:1	1.25	7.8
ORANGE	75:1	1.70	10.5
TURQUOISE	60:1	2.15	13.3
PINK	43:1	3.00	18.6
LIGHT BLUE*	33:1	3.90	24.2
BROWN	28:1	4.55	28.2
RED	22:1	5.80	36.0
WHITE	18:1	7.00	43.4
GREEN	16:1	7.90	49.0
BLUE	13:1	9.80	60.8
YELLOW	9:1	14.80	91.8
BLACK	6:1	20.15	124.9
PURPLE	5:1	27.80	172.4
GRAY	4:1	31.60	195.9
NONE	3.6:1	35.00	217.0

PROPORTIONER MODELS 163C & 163BAG & BLEND CENTERS (4 GPM / 15.1 LPM)			
TIP	RATIO	oz/gal.	mL/L
TAN	427:1	0.30	1.9
ORANGE	320:1	0.40	2.5
TURQUOISE	256:1	0.50	3.1
PINK	170:1	0.75	4.7
LIGHT BLUE*	128:1	1.00	6.2
BROWN	114:1	1.12	6.9
RED	85:1	1.50	9.3
WHITE	73:1	1.75	10.9
GREEN	64:1	2.00	12.4
BLUE	51:1	2.50	15.5
YELLOW	34:1	3.75	23.3
BLACK	26:1	5.00	31.0
PURPLE	15:1	8.50	52.7
GRAY	11:1	11.50	71.3
NONE	8:1	16.25	100.8

*Metering tip color was formerly clear.
Chemical induction rates are based on water thin products (1CPS) at 40 psi water pressure. Induction rates may vary from product to product. Field tests are recommended.

HYDROMINDER™ DILUTION CHART

	4 1/2 GPM	1 1/2 GPM	9 GPM
TIP COLOR	MODEL 506/511/512	MODEL 515	MODEL 525/530
NO TIP	4:1	1:1	4:1
GREY	5:1	1.2:1	6:1
BLACK	6:1	2:1	10:1
BEIGE	8:1	4:1	20:1
RED	17:1	6:1	35:1
WHITE	23:1	9:1	52:1
BLUE	25:1	10:1	55:1
TAN	36:1	13:1	70:1
GREEN	48:1	21:1	100:1
ORANGE	64:1	26:1	140:1
BROWN	75:1	30:1	160:1
YELLOW	90:1	38:1	190:1
PURPLE	120:1	50:1	250:1
PINK	240:1	100:1	530:1

NOTE: Values are approximate and based upon 40 psi water pressure and water-thin viscosity.

HYDRAFLEX DILUTION CHART

FLOW RATE (GPM) @ 200 PSI	0.25	0.50	0.75	1.00	1.50	2.00	2.25	3.00	3.25	3.75	4.50	5.50	8.0	10.0	12.0	15.0
INJECTOR COLOR	WHITE	YELLOW	TAN	RED	ORANGE	GRAY	BLUE	LT. BLUE	LT. GREEN	PINK	PURPLE	DK. GREEN	BLACK	BLACK	BLACK	BLACK
DIAL SETTING: 1	1:223	1:445	1:668	1:891	1:1336	1:1781	1:2004	1:2672	1:2895	1:3340	1:4008	1:4899	1:7125	1:8907	1:10688	1:13360
DIAL SETTING: 2	1:185	1:369	1:554	1:738	1:1107	1:1476	1:1661	1:2215	1:2399	1:2768	1:3322	1:4060	1:5906	1:7382	1:8859	1:11073
DIAL SETTING: 3	1:162	1:325	1:487	1:650	1:974	1:1299	1:1461	1:1949	1:2111	1:2436	1:2923	1:3573	1:5196	1:6495	1:7795	1:9743
DIAL SETTING: 4	1:141	1:282	1:423	1:565	1:847	1:1129	1:1270	1:1694	1:1835	1:2117	1:2540	1:3105	1:4516	1:5645	1:6774	1:8468
DIAL SETTING: 5	1:121	1:242	1:363	1:484	1:726	1:968	1:1089	1:1452	1:1573	1:1815	1:2178	1:2663	1:3873	1:4841	1:5809	1:7262
DIAL SETTING: 6	1:102	1:204	1:306	1:408	1:612	1:816	1:917	1:1223	1:1325	1:1529	1:1835	1:2243	1:3262	1:4078	1:4893	1:6116
DIAL SETTING: 7	1:85	1:169	1:254	1:339	1:508	1:678	1:762	1:1016	1:1101	1:1271	1:1525	1:1864	1:2711	1:3388	1:4066	1:5082
DIAL SETTING: 8	1:70	1:140	1:210	1:281	1:421	1:561	1:631	1:842	1:912	1:1052	1:1263	1:1543	1:2245	1:2806	1:3367	1:4209
DIAL SETTING: 9	1:58	1:115	1:173	1:231	1:346	1:461	1:519	1:692	1:750	1:865	1:1038	1:1268	1:1845	1:2306	1:2767	1:3459
DIAL SETTING: 10	1:50	1:100	1:151	1:201	1:301	1:402	1:452	1:603	1:653	1:753	1:904	1:1105	1:1607	1:2009	1:2411	1:3013
DIAL SETTING: 11	1:44	1:88	1:132	1:175	1:263	1:351	1:395	1:526	1:570	1:658	1:790	1:965	1:1404	1:1755	1:2105	1:2632
DIAL SETTING: 12	1:38	1:77	1:115	1:154	1:231	1:308	1:346	1:461	1:500	1:577	1:692	1:846	1:1231	1:1538	1:1846	1:2307
DIAL SETTING: 13	1:34	1:68	1:102	1:136	1:204	1:273	1:307	1:409	1:443	1:511	1:613	1:750	1:1091	1:1363	1:1636	1:2045
DIAL SETTING: 14	1:30	1:61	1:91	1:122	1:182	1:243	1:274	1:365	1:395	1:456	1:547	1:669	1:973	1:1216	1:1459	1:1824
COPPER	1:29	1:57	1:86	1:114	1:172	1:229	1:258	1:343	1:372	1:429	1:515	1:630	1:916	1:1145	1:1374	1:1717
PUMPKIN	1:28	1:57	1:85	1:113	1:170	1:227	1:255	1:340	1:369	1:425	1:510	1:624	1:908	1:1134	1:1361	1:1702
DIAL SETTING: 15	1:27	1:55	1:82	1:110	1:165	1:220	1:247	1:330	1:357	1:412	1:495	1:605	1:880	1:1100	1:1320	1:1649
BURGANDY	1:25	1:51	1:76	1:101	1:152	1:202	1:228	1:304	1:329	1:379	1:455	1:556	1:809	1:1012	1:1214	1:1518
DIAL SETTING: 16	1:25	1:50	1:75	1:100	1:149	1:199	1:224	1:299	1:324	1:374	1:448	1:548	1:797	1:996	1:1195	1:1494
DIAL SETTING: 17	1:22	1:44	1:67	1:89	1:133	1:178	1:200	1:267	1:289	1:334	1:400	1:489	1:711	1:889	1:1067	1:1334
DIAL SETTING: 18	1:20	1:41	1:61	1:82	1:123	1:163	1:184	1:245	1:266	1:306	1:368	1:449	1:654	1:817	1:980	1:1225
LIME	1:20	1:41	1:61	1:81	1:122	1:162	1:182	1:243	1:263	1:304	1:365	1:446	1:648	1:810	1:972	1:1215
TAN	1:19	1:39	1:59	1:78	1:117	1:157	1:176	1:235	1:254	1:294	1:352	1:431	1:626	1:783	1:940	1:1175
DIAL SETTING: 19	1:18	1:39	1:58	1:77	1:116	1:154	1:173	1:231	1:251	1:289	1:347	1:424	1:617	1:771	1:925	1:1156
DIAL SETTING: 20	1:17	1:36	1:54	1:72	1:109	1:145	1:163	1:217	1:236	1:272	1:326	1:399	1:580	1:725	1:870	1:1087

FLOW RATE (GPM) @ 200 PSI	0.25	0.50	0.75	1.00	1.50	2.00	2.25	3.00	3.25	3.75	4.50	5.50	8.0	10.0	12.0	15.0
INJECTOR COLOR	WHITE	YELLOW	TAN	RED	ORANGE	GRAY	BLUE	LT. BLUE	LT. GREEN	PINK	PURPLE	DK. GREEN	BLACK	BLACK	BLACK	BLACK
ORANGE	1:17	1:34	1:51	1:69	1:103	1:137	1:154	1:206	1:223	1:257	1:308	1:377	1:548	1:685	1:822	1:1028
DIAL SETTING: 21	1:16	1:34	1:51	1:68	1:102	1:136	1:153	1:204	1:221	1:255	1:306	1:374	1:543	1:679	1:815	1:1019
TURQUOISE	1:16	1:32	1:48	1:64	1:96	1:128	1:144	1:192	1:208	1:240	1:289	1:353	1:513	1:641	1:770	1:962
DIAL SETTING: 22	1:16	1:32	1:47	1:63	1:95	1:127	1:142	1:190	1:206	1:237	1:285	1:348	1:506	1:633	1:760	1:960
DIAL SETTING: 23	1:15	1:29	1:44	1:59	1:88	1:117	1:132	1:176	1:190	1:220	1:264	1:322	1:469	1:586	1:703	1:878
DIAL SETTING: 24	1:13	1:27	1:40	1:54	1:81	1:107	1:121	1:161	1:175	1:201	1:242	1:295	1:430	1:537	1:645	1:806
DIAL SETTING: 25	1:12	1:24	1:37	1:49	1:73	1:98	1:110	1:147	1:159	1:183	1:220	1:269	1:391	1:489	1:587	1:733
DIAL SETTING: 26	1:11	1:23	1:34	1:45	1:68	1:90	1:101	1:135	1:146	1:169	1:203	1:248	1:361	1:451	1:541	1:676
PINK	1:10	1:20	1:31	1:41	1:61	1:82	1:92	1:123	1:133	1:154	1:184	1:225	1:361	1:410	1:492	1:615
DIAL SETTING: 27	1:10	1:20	1:31	1:41	1:61	1:82	1:92	1:123	1:133	1:154	1:184	1:225	1:328	1:409	1:491	1:614
DIAL SETTING: 28	1:9.1	1:18	1:27	1:36	1:55	1:73	1:82	1:109	1:118	1:137	1:164	1:200	1:292	1:365	1:437	1:547
LIGHT BLUE	1:8.9	1:18	1:27	1:36	1:53	1:71	1:80	1:107	1:115	1:133	1:160	1:195	1:284	1:355	1:426	1:533
DIAL SETTING: 29	1:7.9	1:16	1:24	1:32	1:48	1:64	1:71	1:95	1:103	1:119	1:143	1:175	1:254	1:318	1:381	1:477
BROWN	1:7.7	1:15	1:23	1;31	1:46	1:62	1:70	1:93	1:101	1:116	1:139	1:170	1:248	1:310	1:372	1:465
DIAL SETTING: 30		1:13	1:20	1:27	1:40	1:53	1:60	1:80	1:86	1:99	1:119	1:146	1:212	1:265	1:318	1:398
RED		1:12	1:18	1:24	1:35	1:47	1:53	1:71	1:77	1:88	1:106	1:130	1:188	1:236	1:283	1:353
WHITE		1:11	1:16	1:21	1:32	1:43	1:48	1:64	1:70	1:80	1:96	1:118	1:171	1:214	1:257	1:321
DIAL SETTING: 31		1:9.9	1:15	1:20	1:30	1:40	1:45	1:60	1:65	1:75	1:89	1:109	1:159	1:199	1:239	1:298
GREEN		1:9.9	1:15	1:20	1:30	1:39	1:44	1:59	1:64	1:74	1:89	1:109	1:158	1:197	1:237	1:296
BLUE		1:7.8	1:12	1:16	1:23	1:31	1:35	1:47	1:51	1:59	1:70	1:86	1:125	1:156	1:188	1:234
DIAL SETTING: 32 1:9.1		1:9.1	1:12	1:18	1:24	1:27	1:36	1:39	1:45	1:54	1:66	1:97	1:121	1:145	1:181	
YELLOW 1:7.5		1:7.5	1:10	1:15	1:20	1:22	1:30	1:32	1:37	1:45	1:55	1:80	1:100	1:120	1:150	
BLACK		1:7.9	1:12	1:16	1:18	1:24	1:26	1:29	1:35	1:43	1:63	1:79	1:94	1:118		
PURPLE			1:3.9	1:5.9	1:7.9	1:8.8	1:12	1:13	1:15	1:18	1:22	1:31	1:39	1:47	1:59	
GRAY		1:3	1:4.5	1:6.1	1:6.8	1:9.1	1:9.8	1:11	1:14	1:17	1:24	1:30	1:36	1:45		

NOTES	

NOTES	
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_

